



# Unified Secure Services Product Guide

PRODUCT GUIDE



S e c u r i t y E n s u r e d !

**Experience** the meaning of real security!

Being determined to make the world a safe heaven we at USS continue to provide quality services 24/7 to our valued customers - offering them a wide range of state-of-the-art technologies and premium customer care, at their door steps!



# WALK THROUGH GATE



## Model No WWG-101LED



## Characteristics & Functions

Displaying Panel	1) LED displaying panel 2) Can be operated through remote control or on the panel directly
Passengers and Times Record	The intelligent counter can calculate the number of the passenger flow and the times of alarm
Products Material	1) The material for this style is PVC composite material 2) Better waterproof and fireproof function
Power Safety	1) The power device is installed on the top menu 2) Better waterproof function and safety
Net Connection	At most 20 units of Walkthrough Metal Detector could be connected to a computer, which makes the management more convenient
Indication of The Alarming Areas	The alarming areas can be indicated by the column lamps at the both post gate, the prohibited articles could be indicated through it
Six Detecting Areas	Six mutual over-lapping detecting areas, simultaneous alarm from multi-areas, ascertain the layout of metal articles
Acoustic-Optical Alarming	The alarming sounds could be classified high, low and none three types, which could be adjusted according to different time and situation
Adjustable Area Sensitivity	The sensitivity of every detecting area is adjustable, with the range of 0-99 which helps to eliminate the false alarming for coin, key, jewelry, leather belt button etc.
High Capability of Anti-Interference	The adoption advanced technology can prevent false or omitted alarm
Protection with Password	The protection password can only allow the authorized person for the operation
Harmless To Human Body	The product is harmless to human body with heart peace maker installed in, pregnant women, magnetic floppy, recording tapes, etc.

## Technical specifications

Electric Current	AC100V~240V/47Hz~63Hz
Net Weight	65 kg
Gross Weight	About 70 kg
Work Environment	-20~+45
Outer Frame	2220mm (h) x 820mm (w) X 500mm (d)
Inner Frame	2045mm (h) X 700mm (w) X 500mm (d)

## Model No WWG-101 LCD



## Characteristics & Functions

Displaying Panel	Adopting the ultra-large LED/LCD displaying panel, convenient for operating
Operation	LCD can be operated with menu, easy and convenient
Six Detecting Areas	Allocation of six mutual over-lapping detecting areas, simultaneous alarming from multi-areas and accurately ascertaining the location of the metal articles
Indication of The Alarming Areas	The LCD monitor embedded at both the left and right sides of the gate leaf can accurately indicate the prohibited articles which are hidden at the places of human body with corresponding height. The alarming areas can be indicated by the column lamps at the both left and right gateposts
Acoustic-Optical Alarming	The sound volume and the tune can be adjusted. The alarming sounds are classified into three types: High, Low and None, which can be used for different times and situations
Adjustable Area Sensibility	With the highest sensibility, it can detect the metal article as small as the clip. With the Range of 0-99, it can automatically adjust the sensibility, pre-set the weight, volume, size and location in respect of the metal articles and eliminate the false alarming for the coin, key, jewelry, leather belt button, etc.
High Capability of Anti-Interference	The adoption of digital, analogy and left and right balanced technology can prevent false or omitted alarming, which greatly enhance the capability of anti-interference
Protection with Password	The protection from the password can only allow the authorized person for the operations. It is highly safe
Two-Way Operations	The metal detecting gate can be operated by remote control or by the operation panel directly
Functions of Statistic Counting	The intelligent counter can calculate the number of the passenger flow and the alarming times


## Technical specifications

Electric Current	220 V
Weight	About 70kg
Certification	CE , GB15210-2003
Power	30 W
Work Environment	0 to +/- 45
Outer Frame	2200mm (h) X 800mm (w) X 500mm (d)
Inner Frame	2050mm (h) X 700mm (w) X 500mm (d)

# WALK THROUGH GATE



## Model No WWG-101i



### Technical specifications

Electric Current	AC100V~240V/47Hz~63Hz
Net Weight	63 kg
Gross Weight	About 68 kg
Power	-20~+45
Outer Frame	2220mm (h) x 820mm (w) X 500mm (d)
Inner Frame	2040mm (h) X 700mm (w) X 500mm (d)

### Characteristics & Functions

Displaying Panel	Six detecting areas are appeared on the right gate leaf; The prohibited articles can be displayed through it directly
Intelligent Counter	The number of the passenger flow and the times of alarm can be displayed on the top panel
Products Material	1) The material for this style is PVC composite material 2) Better waterproof and fireproof function
Power Safety	1) The power device is installed on the top menu 2) Better waterproof function and safety
Net Connection	At most 20 unite of Walkthrough Metal Detector could be connected to a computer, which makes the management more convenient
Six Detecting Areas	Six mutual over-lapping detecting areas, simultaneous alarm from multi-areas, ascertain the layout of metal articles
Acoustic-Optical Alarming	The alarming sounds could be classified high, low and none three types, which could be adjusted according to different time and situation
Adjustable Area Sensitivity	The sensitivity of every detecting area is adjustable, with the range of 0-99 which helps to eliminate the false alarming for coin, key, jewelry, leather belt button etc.
High Capability of Anti-Interference	The adoption advanced technology can prevent false or omitted alarm
Protection With Password	The protection password can only allow the authorized person for the operation
Harmless To Human Body	The product is harmless to human body with heart pacemaker installed in, pregnant women, magnetic floppy, recording tapes, etc.
Convenient Installation	Adopt integration design, it only takes 20 minutes to install or take it part, even offering VCD training

## Model No WWG-2000 LED



### Technical specifications


Product External Dimensions	220 V
Product Passage Dimensions	About 70kg
Packaging Dimensions Consist	Two Parts
Detecting Board	2290 mm x 570 mm x 200 mm (80 Kg)
Host Machine	770 mm x 490 mm x 290 mm (18 Kg)
Working Power	(100 v-240 v)+-10%
Standard	GB15210-2003

### Characteristics & Functions

Its exterior is made of high strength synthetic materials
It consists of 6 display areas with single or multiple areas showing the metal position
The built-in high brightness diode indicator light can accurately indicate the alarm
The sensitivity of each area can be adjusted alone. The adjustable sensitivity range is 0-99
The automatically wined "emitting-receiving" loop features accurate and firm design. Superior detecting capacity
Automatic recording of alarming times and number of people passed
8 doors can be put side by side at intervals of only 35 mm without mutual interference
It has adopted advanced digital self-balancing technology to overcome omission and misinformation
The separated power design can ensure normal operation under extremely unstable voltage conditions
With fixer equipped at its bottom, it is water and damp proof
It is harmless to pacemaker in human body, pregnant woman or software products

Other brands available: Garret, Rangers and CEIA

# HANDHELD METAL DETECTOR



## Super Wand™



- Optimum sensitivity with automatic retuning - never needs adjusting
- Accurate detection of all ferrous, non-ferrous and stainless steel weapons, contraband and other metallic objects
- Elongated profile offers 360° detection coverage plus tip pinpointing for easy scanning from head to foot
- Easy and convenient to use with one-touch button and three-color LED lights
- Clear audible or Silent / Vibrate LED alarm signal
- Rugged injection molded construction including structurally isolated coil for added impact absorption
- Large 9.5" scan area allows thorough scanning with minimum passes
- Ergonomically designed grip fits comfortably in virtually every hand
- Easy ON / OFF battery cover
- 9V battery (included) operation
- Power switch and LEDs positioned for easy access and high visibility

## Super Scanner



- One switch operation
- Ultimate sensitivity
- Does not require adjustments
- Rugged, high-impact ABS case with reinforced coil compartment
- Detects medium sized pistol from 9"; large knife from 6"; razor blade and box cutter from 3"; foil-wrapped drugs and tiny jewelry from 1"
- Large 10" scan surface for quick, thorough scanning
- No tools required to change 9V battery
- Sharp audible alarm and bright red LED light indicates the detection of metal
- Momentary push button temporarily eliminates detection of nearby ambient metal such as rebar, metal walls, etc.
- Green LED light indicates ON; Amber LED indicates low battery; Red LED indicates ALARM

Length 420mm, Width 138mm, Height 110mm, Battery 9V, Sound & Alarm simultaneously, Detecting Distance 1/2 pin: 10mm, Model 64 pistol:150mm, 6" dagger:150mm, 8mm Diameter:40mm, Warn automatically when short of voltage, Sensitivity control.

Sound & Pulsator Alarming, Rechargeable Battery, Holster, Sensitivity Adjustor

# UNDER VEHICLE SURVEILLANCE



## Search mirror



- Carry bag for easy taking and mirror protection
- lightweight acrylic mirror.
- equipped with adjustable swivel for infinite adjustments.
- heavy-duty rubber rim to help prevent damage.
- near-effortless maneuvering.
- lightweight design with adjustable rod handles.
- low 3.5" ground clearance.
- for indoor or outdoor use.

Authorized Dealer  
of e-works



### Head Office

2nd Floor, Block 4-A, F-8 Markaz, Islamabad.

Tel : 051-111-500-370 Fax : 051-2261220

Email: info@uss.com.pk, info@unified.com.pk, sales@uss.com.pk

Website: www.uss.com.pk

### Karachi

1st Floor, LSB 1, ST 14, Ahmed Raza Barely Road.  
Gulshen-e-Iqbal, Block # 14, Karachi.  
Tel: 021-4890077

### Lahore

2nd Floor, 41-A. XX Commercial, Phase-III,  
Khayan-e-Iqbal Road, DHA Lahore.  
Tel: 042-6103339

### Islamabad

H # 199 B St: 50, F-10/4 Islamabad.  
Tel: 051-2106796